


PARISA 70 H:205 CM OPEN DECK REMOTE

alascold
REFRIGERATION

Technical Specifications



PARISA Model remote multi-deck cabinets provide the largest display space and freshness of the products while also saving energy and protecting your budget with their environment friendly equipment.



MODEL SIZE (INTERNAL) (MM)	937	1250	1875	2500	2812	3750	
MODEL SIZE (EXTERNAL) (MM)	1017	1330	1955	2580	2892	3830	
COOLING CAPACITY (WATT)	TEMP.CLASS: 3H1/3H2(GROCERY&BOTTLE COOLER)	931	1225	1838	2450	2756	3675
	TEMP.CLASS: 3M2 (DIARY)	1210	1513	2269	3025	3403	4538
	TEMP.CLASS: 3M1 (MEAT)	1290	1613	2419	3225	3627	4838
DISPLAY AREA (M ²)	1,43	1,91	2,87	3,83	4,31	5,75	
VOLUME (M ³)	0,79	1,05	1,58	2,11	2,37	3,16	
LIGHTING (WATT)	9	18	27	36	36	54	
EVAPORATOR FAN NUMBER&WATT	1X38	2X38	3X38	3X38	4X38	5X38	
SHELVES LENGTH (PER LINE) (MM)	1x937	1x1250	2x937	2x1250	3x937	3x1250	
SHELVES DEPTH	1x300 mm + 4x400 mm						
SHELVES WEIGTH CAPACITY	200 KG / M ²						
NO OF ROW (INCLUDING BASE)	6						
AMBIENT CONDITION	@+25°C / 60 % RH						
DIGITAL CONTROLLER	ELIWELL ID SERIES / DIXELL						
SOLENOID VALVE	DANFOSS / OLAB / SANHUA						
EXPANSION VALVE	DANFOSS						

www.alaskasogutma.com



✉ info@alaskasogutma.com

☎ +90 (342) 328 94 04 (Pbx)

📠 +90 (342) 328 94 07

🏠 Aydınlar Mahallesi 03063 Nolu Cadde No: 23
27580 - Şehitkamil / Gaziantep / TURKEY




PARISA 70 H:220 CM OPEN DECK REMOTE

alascold
REFRIGERATION

Technical Specifications



PARISA Model remote multi-deck cabinets provide the largest display space and freshness of the products while also saving energy and protecting your budget with their environment friendly equipment.



MODEL SIZE (INTERNAL) (MM)	937	1250	1875	2500	2812	3750	
MODEL SIZE (EXTERNAL) (MM)	1017	1330	1955	2580	2892	3830	
COOLING CAPACITY (WATT)	TEMP.CLASS: 3H1/3H2(GROCERY&BOTTLE COOLER)	1131	1475	2213	2950	3318	4425
	TEMP.CLASS: 3M2 (DIARY)	1410	1763	2644	3525	3965	5288
	TEMP.CLASS: 3M1 (MEAT)	1490	1863	2794	3725	4190	5588
DISPLAY AREA (M ²)	1,57	2,09	3,14	4,19	4,71	6,29	
VOLUME (M ³)	0,86	1,15	1,73	2,30	2,59	3,46	
LIGHTING (WATT)	9	18	27	36	36	54	
EVAPORATOR FAN NUMBER&WATT	1X38	2X38	3X38	4X38	4X38	6X38	
SHELVES LENGTH (PER LINE) (MM)	1x937	1x1250	2x937	2x1250	3x937	3x1250	
SHELVES DEPTH	1x300 mm + 5x400 mm						
SHELVES WEIGTH CAPACITY	200 KG / M ²						
NO OF ROW (INCLUDING BASE)	7						
AMBIENT CONDITION	@+25°C / 60 % RH						
DIGITAL CONTROLLER	ELIWELL ID SERIES / DIXELL						
SOLENOID VALVE	DANFOSS / OLAB / SANHUA						
EXPANSION VALVE	DANFOSS						

www.alaskasogutma.com



✉ info@alaskasogutma.com

☎ +90 (342) 328 94 04 (Pbx)

📠 +90 (342) 328 94 07

🏠 Aydınlar Mahallesi 03063 Nolu Cadde No: 23
27580 - Şehitkamil / Gaziantep / TURKEY




PARISA 80 H:205 CM OPEN DECK REMOTE

alascold
REFRIGERATION

Technical Specifications



PARISA Model remote multi-deck cabinets provide the largest display space and freshness of the products while also saving energy and protecting your budget with their environment friendly equipment.



MODEL SIZE (INTERNAL) (MM)	937	1250	1875	2500	2812	3750	
MODEL SIZE (EXTERNAL) (MM)	1017	1330	1955	2580	2892	3830	
COOLING CAPACITY (WATT)	TEMP.CLASS: 3H1/3H2(GROCERY&BOTTLE COOLER)	986	1294	1941	2588	2910	3881
	TEMP.CLASS: 3M2 (DIARY)	1265	1581	2372	3163	3557	4744
	TEMP.CLASS: 3M1 (MEAT)	1345	1681	2522	3363	3782	5044
DISPLAY AREA (M ²)	1,43	1,91	2,87	3,83	4,31	5,75	
VOLUME (M ³)	0,94	1,25	1,88	2,50	2,82	3,76	
LIGHTING (WATT)	9	18	27	36	36	54	
EVAPORATOR FAN NUMBER&WATT	1X38	2X38	3X38	3X38	4X38	5X38	
SHELVES LENGTH (PER LINE) (MM)	1x937	1x1250	2x937	2x1250	3x937	3x1250	
SHELVES DEPTH	5x400mm						
SHELVES WEIGTH CAPACITY	200 KG / M ²						
NO OF ROW (INCLUDING BASE)	6						
AMBIENT CONDITION	@+25°C / 60 % RH						
DIGITAL CONTROLLER	ELIWELL ID SERIES / DIXELL						
SOLENOID VALVE	DANFOSS / OLAB / SANHUA						
EXPANSION VALVE	DANFOSS						

www.alaskasogutma.com



✉ info@alaskasogutma.com

☎ +90 (342) 328 94 04 (Pbx)

📠 +90 (342) 328 94 07

🏠 Aydınlar Mahallesi 03063 Nolu Cadde No: 23
27580 - Şehitkamil / Gaziantep / TURKEY




PARISA 80 H:220 CM OPEN DECK REMOTE

alascold
REFRIGERATION

Technical Specifications



PARISA Model remote multi-deck cabinets provide the largest display space and freshness of the products while also saving energy and protecting your budget with their environment friendly equipment.



MODEL SIZE (INTERNAL) (MM)	937	1250	1875	2500	2812	3750	
MODEL SIZE (EXTERNAL) (MM)	1017	1330	1955	2580	2892	3830	
COOLING CAPACITY (WATT)	TEMP.CLASS: 3H1/3H2(GROCERY&BOTTLE COOLER)	1186	1544	2316	3088	3473	4631
	TEMP.CLASS: 3M2 (DIARY)	1465	1831	2747	3663	4120	5494
	TEMP.CLASS: 3M1 (MEAT)	1545	1931	2897	3863	4345	5794
DISPLAY AREA (M ²)	1,57	2,09	3,14	4,19	4,71	6,29	
VOLUME (M ³)	1,03	1,38	2,06	2,75	3,10	4,12	
LIGHTING (WATT)	9	18	27	36	36	54	
EVAPORATOR FAN NUMBER&WATT	1X38	2X38	3X38	4X38	4X38	6X38	
SHELVES LENGTH (PER LINE) (MM)	1x937	1x1250	2x937	2x1250	3x937	3x1250	
SHELVES DEPTH	6x400mm						
SHELVES WEIGTH CAPACITY	200 KG / M ²						
NO OF ROW (INCLUDING BASE)	7						
AMBIENT CONDITION	@+25°C / 60 % RH						
DIGITAL CONTROLLER	ELIWELL ID SERIES / DIXELL						
SOLENOID VALVE	DANFOSS / OLAB / SANHUA						
EXPANSION VALVE	DANFOSS						

www.alaskasogutma.com



✉ info@alaskasogutma.com

☎ +90 (342) 328 94 04 (Pbx)

📠 +90 (342) 328 94 07

🏠 Aydınlar Mahallesi 03063 Nolu Cadde No: 23
27580 - Şehitkamil / Gaziantep / TURKEY




PARISA 90 H:205 CM OPEN DECK REMOTE

alascold
REFRIGERATION

Technical Specifications



PARISA Model remote multi-deck cabinets provide the largest display space and freshness of the products while also saving energy and protecting your budget with their environment friendly equipment.



MODEL SIZE (INTERNAL) (MM)	937	1250	1875	2500	2812	3750	
MODEL SIZE (EXTERNAL) (MM)	1017	1330	1955	2580	2892	3830	
COOLING CAPACITY (WATT)	TEMP.CLASS: 3H1/3H2(GROCERY&BOTTLE COOLER)	1036	1356	2034	2713	3051	4069
	TEMP.CLASS: 3M2 (DIARY)	1315	1644	2466	3288	3698	4931
	TEMP.CLASS: 3M1 (MEAT)	1395	1744	2616	3488	3923	5231
DISPLAY AREA (M ²)	1,43	1,91	2,87	3,83	4,31	5,75	
VOLUME (M ³)	1,10	1,47	2,20	2,94	3,31	4,41	
LIGHTING (WATT)	9	18	27	36	36	54	
EVAPORATOR FAN NUMBER&WATT	1X38	2X38	3X38	3X38	4X38	5X38	
SHELVES LENGTH (PER LINE) (MM)	1x937	1x1250	2x937	2x1250	3x937	3x1250	
SHELVES DEPTH	5x450mm						
SHELVES WEIGTH CAPACITY	200 KG / M ²						
NO OF ROW (INCLUDING BASE)	6						
AMBIENT CONDITION	@+25°C / 60 % RH						
DIGITAL CONTROLLER	ELIWELL ID SERIES / DIXELL						
SOLENOID VALVE	DANFOSS / OLAB / SANHUA						
EXPANSION VALVE	DANFOSS						

www.alaskasogutma.com



✉ info@alaskasogutma.com

☎ +90 (342) 328 94 04 (Pbx)

📠 +90 (342) 328 94 07

🏠 Aydınlar Mahallesi 03063 Nolu Cadde No: 23
27580 - Şehitkamil / Gaziantep / TURKEY




PARISA 90 H:220 CM OPEN DECK REMOTE

alascold
REFRIGERATION

Technical Specifications



PARISA Model remote multi-deck cabinets provide the largest display space and freshness of the products while also saving energy and protecting your budget with their environment friendly equipment.



MODEL SIZE (INTERNAL) (MM)		937	1250	1875	2500	2812	3750
MODEL SIZE (EXTERNAL) (MM)		1017	1330	1955	2580	2892	3830
COOLING CAPACITY (WATT)	TEMP.CLASS: 3H1/3H2(GROCERY&BOTTLE COOLER)	1216	1581	2372	3163	3557	4744
	TEMP.CLASS: 3M2 (DIARY)	1495	1869	2803	3738	4204	5606
	TEMP.CLASS: 3M1 (MEAT)	1575	1969	2953	3938	4429	5906
DISPLAY AREA (M ²)		1,57	2,09	3,14	4,19	4,71	6,29
VOLUME (M ³)		1,21	1,62	2,42	3,23	3,64	4,85
LIGHTING (WATT)		9	18	27	36	36	54
EVAPORATOR FAN NUMBER&WATT		1X38	2X38	3X38	4X38	4X38	6X38
SHELVES LENGTH (PER LINE) (MM)		1x937	1x1250	2x937	2x1250	3x937	3x1250
SHELVES DEPTH		6x450mm					
SHELVES WEIGTH CAPACITY		200 KG / M ²					
NO OF ROW (INCLUDING BASE)		7					
AMBIENT CONDITION		@+25°C / 60 % RH					
DIGITAL CONTROLLER		ELIWELL ID SERIES / DIXELL					
SOLENOID VALVE		DANFOSS / OLAB / SANHUA					
EXPANSION VALVE		DANFOSS					

www.alaskasogutma.com



✉ info@alaskasogutma.com

☎ +90 (342) 328 94 04 (Pbx)

📠 +90 (342) 328 94 07

🏠 Aydınlar Mahallesi 03063 Nolu Cadde No: 23
27580 - Şehitkamil / Gaziantep / TURKEY




PARISA 110 H:205 CM OPEN DECK REMOTE

alascold
REFRIGERATION

Technical Specifications



PARISA Model remote multi-deck cabinets provide the largest display space and freshness of the products while also saving energy and protecting your budget with their environment friendly equipment.



MODEL SIZE (INTERNAL) (MM)	937	1250	1875	2500	2812	3750	
MODEL SIZE (EXTERNAL) (MM)	1017	1330	1955	2580	2892	3830	
COOLING CAPACITY (WATT)	TEMP.CLASS: 3H1/3H2(GROCERY&BOTTLE COOLER)	1096	1431	2147	2863	3220	4294
	TEMP.CLASS: 3M2 (DIARY)	1375	1719	2578	3438	3867	5156
	TEMP.CLASS: 3M1 (MEAT)	1455	1819	2728	3638	4091	5456
DISPLAY AREA (M ²)	1,43	1,91	2,87	3,83	4,31	5,75	
VOLUME (M ³)	1,38	1,84	2,76	3,68	4,13	5,52	
LIGHTING (WATT)	9	18	27	36	36	54	
EVAPORATOR FAN NUMBER&WATT	1X38	2X38	3X38	4X38	4X38	6X38	
SHELVES LENGTH (PER LINE) (MM)	1x937	1x1250	2x937	2x1250	3x937	3x1250	
SHELVES DEPTH	5x600mm						
SHELVES WEIGTH CAPACITY	200 KG / M ²						
NO OF ROW (INCLUDING BASE)	6						
AMBIENT CONDITION	@+25°C / 60 % RH						
DIGITAL CONTROLLER	ELIWELL ID SERIES / DIXELL						
SOLENOID VALVE	DANFOSS / OLAB / SANHUA						
EXPANSION VALVE	DANFOSS						

www.alaskasogutma.com



✉ info@alaskasogutma.com

☎ +90 (342) 328 94 04 (Pbx)

📠 +90 (342) 328 94 07

🏠 Aydınlar Mahallesi 03063 Nolu Cadde No: 23
27580 - Şehitkamil / Gaziantep / TURKEY




PARISA 110 H:220 CM OPEN DECK REMOTE

alascold
REFRIGERATION

Technical Specifications



PARISA Model remote multi-deck cabinets provide the largest display space and freshness of the products while also saving energy and protecting your budget with their environment friendly equipment.



MODEL SIZE (INTERNAL) (MM)	937	1250	1875	2500	2812	3750	
MODEL SIZE (EXTERNAL) (MM)	1017	1330	1955	2580	2892	3830	
COOLING CAPACITY (WATT)	TEMP.CLASS: 3H1/3H2(GROCERY&BOTTLE COOLER)	1296	1681	2522	3363	3782	5044
	TEMP.CLASS: 3M2 (DIARY)	1575	1969	2953	3938	4429	5906
	TEMP.CLASS: 3M1 (MEAT)	1655	2069	3103	4138	4654	6206
DISPLAY AREA (M ²)	1,57	2,09	3,14	4,19	4,71	6,29	
VOLUME (M ³)	1,51	2,02	3,03	4,04	4,54	6,06	
LIGHTING (WATT)	9	18	27	36	36	54	
EVAPORATOR FAN NUMBER&WATT	1X38	2X38	3X38	4X38	4X38	6X38	
SHELVES LENGTH (PER LINE) (MM)	1x937	1x1250	2x937	2x1250	3x937	3x1250	
SHELVES DEPTH	6x600mm						
SHELVES WEIGTH CAPACITY	200 KG / M ²						
NO OF ROW (INCLUDING BASE)	7						
AMBIENT CONDITION	@+25°C / 60 % RH						
DIGITAL CONTROLLER	ELIWELL ID SERIES / DIXELL						
SOLENOID VALVE	DANFOSS / OLAB / SANHUA						
EXPANSION VALVE	DANFOSS						

www.alaskasogutma.com



✉ info@alaskasogutma.com

☎ +90 (342) 328 94 04 (Pbx)

📠 +90 (342) 328 94 07

🏠 Aydınlar Mahallesi 03063 Nolu Cadde No: 23
27580 - Şehitkamil / Gaziantep / TURKEY

